

Check & Foot Valves



Polypropylene Check Valves 216

PVC Check Valves 216

Brass Check Valves 216

Nylon Check Valves 216

Stainless Steel Check Valves 216

Foot Valves 217

Check & Foot Valves

Mini Check Valves - Polypropylene



Part No.	Barbs	Code
695-2B2B-B	1/8"	N
695-3B3B-B	3/16"	N
695-4B4B-B	1/4"	N

Also available with Viton, & EPDM seals

- Max press 8 Bar
- S/Steel spring - Buna seals
- Max temp 60°C
- Opening press 0.022 Bar

PVC Check Valves



Part No.	Connections	Code
426-4F4F-B	1/4" F x 1/4" F	O
426-4M4M-B	1/4" M x 1/4" M	O
426-4F4M-B	1/4" F x 1/4" M	O
426-4B4B-B	1/4" B x 1/4" B	O
426-6B6B-B	3/8" B x 3/8" B	O
426-8B8B-B	1/2" B x 1/2" B	O
426-4JG4JG	1/4" compression	O
426-6JG6JG	3/8" compression	O

- Max press 8 Bar
- Buna N seals
- Max temp 60°C
- Opening press 0.07 Bar

600 Series Polypropylene Check Valves



Part No.	Threads	Seals	Code
685-8F8F-E	1/2" F	EPDM	N
685-8F8F-V	1/2" F	Viton	N
687-12F12F-E	3/4" F	EPDM	N
687-12F12F-V	3/4" F	Viton	N

- Max press 8 Bar
- S/Steel spring
- Max temp 60°C
- Opening press 0.07 Bar

800 Series Polypropylene Check Valves



Part No.	Threads	Code
8206000	1 1/4" F x 1 1/4" F	N
8206001	1 1/2" F x 1 1/2" F	N
8206002	1 1/4" M x 1 1/4" M	N
8206003	1 1/2" M x 1 1/2" M	N

- Max press 10 Bar
- Buna seals
- 316 S/Steel spring
- Opening press 0.012 Bar

Nylon Check Valves



Part No.	Threads	Code
8369000	1/2" F x 1/2" F	N
8369001	3/4" F x 3/4" F	N
8369002	1" F x 1" F	N

- Max press 10 Bar
- Buna seals
- 316 S/Steel spring
- Opening press 0.012 Bar

Nylon Foot Valve Filter



Part No.	Thread	Code
8357000	1/2" F	N
8357001	3/4" F	N
8357002	1" F	N
8357003	1 1/4" F	N
8357004	1 1/2" F	N
8357005	2" F	N

- Max press 10 Bar
- Buna seals
- 316 S/Steel spring
- Opening press 0.012 Bar

Brass Check Valves



Part No.	Threads	Code
470-4F4F-B	1/4" F x 1/4" F	O
470-4F4M-B	1/4" F x 1/4" M	O
470-6F6F-B	3/8" F x 3/8" F	O
470-6F6M-B	3/8" F x 3/8" M	O

- Max press 200 Bar
- S/Steel ball
- Buna seals
- Max temp 70°C
- Opening press 0.07 Bar

Stainless Steel Check Valves



Part No.	Thread	Lpm	Code
60.2030.00	1/4" F x 1/4" F	25	O
60.2020.00	3/8" F x 3/8" F	40	O
60.2070.00	1/2" F x 1/2" F	80	O
60.2080.00	3/4" F x 3/4" F	180	O

- Max press 400 Bar
- Viton seals
- Max temp 90°C
- 303 Stainless steel
- Opening press 0.4 Bar

Check & Foot Valves

UD1 Series Check Valve

Part No.	Threads	Code
UD1	3/4" M x 3/4" F	K

- Max press 250 Bar
- Max flow 180 Lpm
- Opening press 5 bar
- S/Steel & brass



Check Valve M x F Threads

Part No.	Thread	Code
407-1010	1/2"	K
407-1011	3/4"	K

- Conforms to CE standard



Valve & Strainer

Items below can be combined to create a foot valve with filter



Foot Valve & Strainer

Part No.	Thread	Code
402-1050	1/2" F	K
402-1051	3/4" F	K
402-1052	1" F	K
402-1053	1 1/4" F	K
402-1054	1 1/2" F	K
402-1055	2" F	K

- Brass construction
- Max press 10 bar



Brass Valve - Female Threads

Part No.	Thread	Bar	Code
407-1021	3/8" F	16	K
407-1022	1/2" F	16	K
407-1023	3/4" F	16	K
407-1024	1" F	16	K
407-1025	1 1/4" F	10	K
407-1026	1 1/2" F	10	K
407-1027	2" F	10	K

- Brass construction
- Acetal copolymer disk with NBR gasket
- 302 S/Steel spring
- Max temp 80°C



Stainless Steel Strainer

STAINLESS
STEEL

Part No.	Thread	Code
402-1010	3/8" M	K
402-1011	1/2" M	K
402-1012	3/4" M	K
402-1013	1" M	K
402-1014	1 1/4" M	K
402-1015	1 1/2" M	K
402-1016	2" M	K

- 304 S/Steel screen with glass reinforced nylon threads
- 15 mesh screen

