


Flat Surface Cleaners



Rotary Floor Cleaners	78 - 79
Fixed Jet Cleaning Heads	78
Rotary Graffiti Cleaners	79
Chewing Gum Remover	79
Water Brooms	80
Hydro Brooms	80

Flat Surface Cleaners

Whirl-A-Way


Cleaning up to 20 square metres per minute the Whirl-A-Way reduces operator fatigue, increases productivity, saving up to 80% on labour costs. The Whirl-A-Way is ideal for cleaning all types of flat surfaces including driveways, concrete floors, patios and can be used with any hot or cold pressure washer. Durable cover eliminates over-spray & damage to surrounding area



16" Whirl-A-Way

Part No.	Description	Nozzles	Code
BE1600WAW	16" nylon skirt	2 x 25025	I

- Maximum pressure 276 Bar
- Maximum flow 30 Lpm
- Maximum temperature 80°C
- Polypropylene cover with nylon skirt
- Supplied with trigger gun & nozzles



18" Whirl-A-Way

Part No.	Description	Nozzles	Code
BE1800WAW	18" castors	2 x 25025	I

- Maximum pressure 276 Bar
- Maximum flow 30 Lpm
- Maximum temperature 80°C
- Polypropylene cover with castor wheels
- Supplied with trigger gun & nozzles



20" Whirl-A-Way

Part No.	Description	Nozzles	Code
BE2000WAW	20" nylon skirt	2 x 25025	I

- Maximum pressure 276 Bar
- Maximum flow 30 Lpm
- Maximum temperature 80°C
- Polypropylene cover with nylon skirt
- Supplied with trigger gun & nozzles



24" Whirl-A-Way - Stainless Steel

Part No.	Description	Nozzles	Code
BE2400SS	24" castors	3 x 2502	I

- Maximum pressure 276 Bar
- Maximum flow 30 Lpm
- Maximum temperature 80°C
- Stainless steel cover with nylon skirt
- Non marking castor wheels
- Supplied with trigger gun & nozzles

PA

Fixed Jet Cleaning Head - Stainless Steel

The PA fixed jet cleaning head is manufactured in stainless steel and supplied with a double lance and vertical regulator for chemical induction. The cleaning head swivels 65° and is fitted with 4 rubber wheels.

Part No.	Description	Max Press	Max Flow	Max Temp	Code
ART290600	400mm cleaning head	250 Bar	30 Lpm	160°C	I

- Fitted with 22mm male inlet connector
- Compact and lightweight - 4.5Kg
- 4 x 80015 high press jets & 1 chemical jet

Due to individual requirements the PA cleaner is not supplied with a gun



Flat Surface Cleaners



Constructed in polished stainless steel the mosmatic rotary cleaning heads are perfect for the quick and easy cleaning of: kitchens, food processing plants, public facilities, pool surrounds and all types of flat surfaces. They are easy to operate & produce no over-spray

300mm Rotary Cleaning Head - 50mm Vacuum Port

Part No.	Max Press	Max Temp	Weight	Code
78.242	275 Bar	120°C	5.6 Kg	I

- Complete with gun & lance assembly
- Stainless steel cover
- Durable brush skirt & castor wheels
- Swivel fitted with heavy-duty seal
- Fitted with 2 x 1503 nozzles
- 50mm vacuum port



200mm Rotary Cleaning Head - 40mm Vacuum Port

Part No.	Max Press	Max Temp	Weight	Code
78.035	350 Bar	120°C	1.9Kg	K

- Brush skirt
- Stainless steel body
- 1/4" BSPF inlet
- Requires 2 x 1/8" nozzles
- Vacuum port Ø 40 mm



300mm Rotary Cleaning Head - 40mm Vacuum Port

Part No.	Max Press	Max Temp	Weight	Code
79.212	275 Bar	120°C	2.2Kg	K

- Brush skirt
- Stainless steel body
- M22 male inlet
- Supplied with M22 female coupling
- Requires 2 x 1/8" nozzles
- Vacuum port Ø 40 mm



Lance Assembly for Rotary Heads

Part No.	Code
200-1001	K

- Adjustable locking side handle
- Length 800mm
- 22mm female inlet connection
- 22mm male outlet connection
- Adjustable toggle joint



Chewing Gum Remover

Part No.	Max Press	Noz Size	Kg	Male Inlet	Code
99.9721.045	250 Bar	045	2.0	22mm	K
99.9721.055	250 Bar	055	2.0	22mm	K
Dimensions L280-H180-W130mm					

- Not supplied with gun or lance assembly
- Max temperature 90°C
- Can be used with most hot pressure washers
- Stainless steel wear strips



We recommend HOT water at a minimum pressure of 150 Bar & 12 Lpm

Flat Surface Cleaners

Hydrobroom



Part No.	Noz Size	Code
99.9911.045	1.45	K
99.9911.055	1.5	K

- Max press 210 Bar
- Max Flow 18 Lpm
- Max temp 90°C
- 250mm Wide
- Plastic construction
- M22 male inlet
- Ceramic oscillating nozzle

Waterbroom 3 Nozzles - 12" Wide



Part No.	Code
85.400.060	K

- Max press 250 bar
- Max flow 15 Lpm
- Max temp 90°C
- 3 x 65013 nozzles
- 1/4" F thread inlet
- Aluminium construction
- Swivel castors with rubber wheels

Hydrobroom with Brush



Part No.	Noz Size	Code
99.9921.045	1.45	K
99.9921.055	1.5	K

- Max press 210 Bar
- Max Flow 18 Lpm
- Max temp 90°C
- 250mm Wide
- Plastic & S/Steel construction
- M22 male inlet
- Ceramic oscillating nozzle
- Fitted with water powered brush

Waterbroom 4 Nozzles - 16" Wide



Part No.	Code
85.400.061	K

- Max press 250 bar
- Max flow 22 Lpm
- Max temp 90°C
- 4 x 65013 nozzles
- 1/4" F thread inlet
- Aluminium construction
- Swivel castors with rubber wheels

Hydrobroom with Brush & Detergent Tank



Part No.	Noz Size	Code
99.9981.045	1.45	K
99.9981.055	1.5	K

- Max press 210 Bar
- Max Flow 18 Lpm
- Max temp 90°C
- 250mm Wide
- Plastic construction
- M22 male inlet
- Ceramic oscillating nozzle
- Fitted with water powered brush & detergent tank