

Frames & Accessories



Wheels	240
Rubber Mountings	240
Rubber Feet	240
Battery & Box	240
Hand Grip	240
Wheeled Trolleys	241
Carry Frames	242

Wheels & Rubber Mountings



Pneumatic Wheel

Part No.	Code
9918-2027	K

- Pneumatic - steel rim
- 10" OD x 3/4" ID hole



Pneumatic Wheel

Part No.	Code
9918-2028	K

- Pneumatic - steel rim
- 13" OD x 3/4" ID hole



Heavy-Duty Castor Wheel

Part No.	Code
9918-2056	T

- 30 x 18 wheel
- Anti-scuff rubber
- M16 x 40mm thread



Wheel Fasteners

Part No.	Internal Ø	Code
9918-2030	25mm	K
9918-4003	19mm	K



Rubber Mounting

Part No.	Code
9918-2052	K

- M10 stud x M10 bolt
- 50mm Ø



Rubber Mounting

Part No.	Code
9918-2051	K

- M8 stud x M8 stud



Rubber Mounting

Part No.	Code
9918-2055	K

- M8 stud x M8 F Thread



Rubber Foot

Part No.	Code
9918-2050	K

- M10 stud x 45mm foot



Hand Grip

Part No.	Code
9918-2013	K


- Fits 1" Ø tube



Rubber Foot

Part No.	Code
9918-2054	K

- 64mm OD x 8mm bolt hole



Base Plate

Part No.	Code
9918-2012	K

- 22L x 14W (inches)



Rubber Foot

Part No.	Code
9918-2057	K

- 152W x 38H (mm)
- M8 x 40mm bolt & nut



Battery Box

Part No.	Code
9918-4821	K

Battery box & 12 Volt battery are compatible & for use with our Rapier electric start diesel powered pressure washers.



Rubber Foot

Part No.	Code
9918-2053	K

- M6 stud x 25mm foot



Automatic Battery Charger

Part No.	Code
604-1001	K

- Input = 240 Volt 50Hz
- Output = 12 Volt DC-0.8A/3.6A
- Water resistant for outdoor use

The XS3600 charger is suitable for lead acid batteries from 1.2-120 Ah



12 Volt Battery

Part No.	Code
9918-4820	K

Maintenance free pure lead, sealed gel battery. Can be mounted horizontal or vertical. SAE 680 Amps cold start performance.

Wheeled Trolley



Part No.	Overall Dimensions L x W x H (mm)	Code
9918-2000	1110 x 600 x 660	K

- Fitted with 13" pneumatic tyres
- Rubber mounted base plate

Wheeled Trolley



Part No.	Overall Dimensions L x W x H (mm)	Code
9918-2001	900 x 590 x 880	K

- Fitted with 10" pneumatic tyres
- Supplied flat packed

Wheeled Trolley



Part No.	Overall Dimensions L x W x H (mm)	Code
9918-2002	970 x 600 x 920	K

- Fitted with 13" pneumatic tyres
- Supplied flat packed

Wheeled Trolley



Part No.	Overall Dimensions L x W x H (mm)	Code
9918-2004	880 x 420 x 460	K

- Fitted with 10" pneumatic tyres

Wheeled Trolley



Part No.	Overall Dimensions L x W x H (mm)	Code
9918-2003	770 x 530 x 890	K

- Fitted with 10" pneumatic tyres
- Supplied flat packed

Stainless Steel Trolley



Part No.	Overall Dimensions L x W x H (mm)	Code
9918-4900	820 x 540 x 490	K

- Fitted with 10" pneumatic tyres
- Supplied flat packed

Carry Frames

Carry Frame



Part No.	Overall Dimensions L x W x H (mm)	Code
9918-2006	640 x 445 x 560	K

- Roll cage with rubber mounted base

Carry Frame



Part No.	Overall Dimensions L x W x H (mm)	Code
9918-2005	580 x 460 x 480	K

- Roll cage with rubber mounted base

Carry Frame



Part No.	Overall Dimensions L x W x H (mm)	Code
9918-2008	500 x 310 x 485	K

- Carry frame with 3 rubber feet

Carry Frame



Part No.	Overall Dimensions L x W x H (mm)	Code
9918-2009	455 x 310 x 440	K

- Carry frame with three rubber feet