

Hose, Hose Clips & Sealant



Garden Hose	146
Extra Flex Hose	146
Layflat Hose	146
Kanaflex Hose	146
Reinforced Hose	146
Diesel Transfer Hose	146
Spiral Hose	147
High Pressure Hose	147
Food Grade Hose	147
Hose Assembly	147
Stainless Steel Hose Clamps	148
Stainless Steel Hose Clips	148
Zinc Plated Hose Clips	148
Pipe Joint Sealant	148
Teflon Tape	148
O Clip Pliers	148

Hose, Hose Clips & Sealant

Extra Flex PVC - price per coil



Part No.	id	Code
GH1225Y	1/2"	K
GH1625Y	5/8"	K
GH1925Y	3/4"	K
GH2525Y	1"	K

- Max pressure 10 Bar
- Temp -10°C to + 55°C
- Coil length 25 metres

Extra Flex PVC - price per mtr



Part No.	id	Code
GH12Y	1/2"	K
GH16Y	5/8"	K
GH19Y	3/4"	K
GH25Y	1"	K

- Max pressure 10 Bar
- Temp -10°C to + 55°C

PVC Garden 1/2" - price per coil



Part No.	Coil	Code
LGL1215	15M	K
LGL1230	30M	K

- Max pressure 8 Bar

PVC Layflat - price per mtr



Part No.	id	Bar	Code
P16LFB	1"	5.5	K
P20LFB	1 1/4"	5.5	K
P24LFB	1 1/2"	5.5	K
P32LFB	2"	4.5	K
P48LFB	3"	3.5	K

- Temp -25°C to + 60°C

Clear Reinforced PVC - price per mtr



Part No.	id	Bar	Code
01-06	1/4"	17	K
01-516	5/16"	14	K
01-10	3/8"	12	K
01-12	1/2"	10	K
01-16	5/8"	8	K
01-19	3/4"	6	K
01-25	1"	5.5	K

- Temp -10°C to +60°C

Clear PVC - price per mtr



Part No.	id	Code
503-1008	8mm	K
503-1010	1/2"	K
503-1012	3/4"	K
503-1014	1 1/2"	K

- Temp -15°C to +60°C

Clear Wire Reinforced PVC - price per mtr



Part No.	id	Bar	Code
503-1001	19mm	5	K
503-1000	25mm	5	K

- Temp -25°C to +60°C

Kanaflex - price per mtr



Part No.	id	Bar	Code
12-CD07	3/4"	5.5	K
12-CD10	1"	5.5	K
12-CD12	1 1/4"	4.0	K
12-CD15	1 1/2"	4.0	K
12-CD20	2"	4.0	K
12-CD30	3"	4.0	K

- Temp -10°C to + 55°C

Diesel Delivery - price per mtr



Part No.	id	Code
DDH025	1"	K

- Max press 7 Bar
- Temp -20°C to +55°C
- U.V. & ozone resistance
- Manufactured in rubber PVC alloy

Diesel Suction - price per mtr



Part No.	id	Code
DSH025	1"	K

- Reinforced PVC/Nylon
- Temp -15°C to +65°C
- U.V. & ozone resistance

Hose, Hose Clips & Sealant

10 Mtr - Spiral with Fittings

Part No.	Code
8000-7204	K

- Adjustable nozzle
- Quick release couplings
- Non-return check valve
- 10 Metre x 12 mm Ø



Food Grade - Non Scuff

Part No.	Code
503-1020	K

- 1/2" Ø x 20 Metre
- Temp 95°C
- Max press 10 Bar
- 1/2" BSPM x 3/4" BSPF connectors
- Connectors attached to hose by QR couplings



210 Bar - High Pressure

Part No.	Code
TUBIN8R	Q

- Press 210 Bar
- 8 Metre hose
- 1/4" id single wire rubber hose
- 1/4" F x M22 fittings
- Max temp 150°C



110 Bar - High Pressure

Part No.	Code
TUBIN16	Q

- Press 160 Bar
- 16 Metre hose
- 1/4" id plastic coated hose
- 1/4" F x M22 fittings
- Max temp 60°C



210 Bar - High Pressure

Part No.	Code
HP2600	Q

- Press 210 Bar
- 10 Metre hose
- 3/8" id single wire rubber hose
- 3/8" F x 3/8" M fittings
- Max temp 150°C



210 Bar - High Pressure

Part No.	Code
HP2600K	Q

- Press 210 Bar
- 10 Metre hose
- 3/8" id single wire rubber hose
- 3/8" M x M22 fittings
- Max temp 150°C



210 Bar - High Pressure

Part No.	Code
HP2600KK	Q

- Press 210 Bar
- 10 Metre hose
- 3/8" id single wire rubber hose
- M22 x M22 fittings
- Max temp 150°C



400 Bar - High Pressure

Part No.	Code
HP4800	Q

- Press 400 Bar
- 10 Metre hose
- 3/8" id double wire rubber hose
- 3/8" F x 3/8" M fittings
- Max temp 150°C



400 Bar - High Pressure

Part No.	Code
HP4800K	Q

- Press 400 Bar
- 10 Metre hose
- 3/8" id double wire rubber hose
- 3/8" M x M22 fittings
- Max temp 150°C



400 Bar - High Pressure

Part No.	Code
HP4800KK	Q

- Press 400 Bar
- 10 Metre hose
- 3/8" id double wire hose
- M22 x M22 fittings
- Max temp 150°C



Hose Assembly - 330mm



Part No.	Code
BP1	O

- Press 210 Bar
- 330mm hose
- 3/8" id single wire rubber hose
- 3/8" F x 3/8" F x 90°
- Max temp 150°C

Hose Assembly - 355mm



Part No.	Code
BP2	O

- Press 210 Bar
- 355mm hose
- 3/8" id single wire rubber hose
- 3/8" F x 3/8" F
- Max temp 150°C

Hose, Hose Clips & Sealant

Stainless Steel Hose Clamps



Part No.	Adjustment	Code
502-1060	43 - 47 mm	Q
502-1061	47 - 51 mm	Q
502-1063	51 - 55 mm	Q
502-1064	59 - 63 mm	Q
502-1065	63 - 68 mm	Q
502-1066	68 - 73 mm	Q
502-1067	73 - 79 mm	Q
502-1068	85 - 91 mm	Q
502-1069	91 - 97 mm	Q
502-1070	104 - 112 mm	Q

- S/Steel band - zinc plated screws
- Designed for 360° clamping
- High torque applications
- Nylon lock feature

Stainless Steel Hose Clips



Part No.	Adjustment	Code
502-1020	8 - 16 mm	Q
502-1021	12 - 20 mm	Q
502-1022	16 - 25 mm	Q
502-1023	20 - 32 mm	Q
502-1024	25 - 40 mm	Q
502-1025	32 - 50 mm	Q
502-1026	40 - 60 mm	Q
502-1027	50 - 70 mm	Q
502-1028	60 - 80 mm	Q
502-1029	70 - 90 mm	Q

- 301 S/Steel for the band & housing
- 305 S/Steel for the screw
- Band width is 1/2"

Zinc Plated Hose Clips



Part No.	Size	Adjustment	Code
502-1000	12	8 - 12 mm	Q
502-1001	16	10 - 16 mm	Q
502-1003	20	12 - 22 mm	Q
502-1004	22	16 - 27 mm	Q
502-1005	30	20 - 32 mm	Q
502-1006	35	25 - 40 mm	Q
502-1007	50	35 - 50 mm	Q
502-1008	55	40 - 60 mm	Q
502-1009	70	50 - 70 mm	Q
502-1010	90	70 - 90 mm	Q

- Zinc plated mild steel worm drive to BS5315

O Clips - Zinc Plated



Part No.	Size	Code
502-1100	11 - 13mm	Q
502-1101	15 - 18mm	Q
502-1102	23 - 27mm	Q
502-1104	20 - 23mm	Q

- Bright Zinc plated mild Steel

Teflon Tape



Part No.	Length	Width	Code
1252	13.2 M	12mm	R

Pipe Joint Sealant



Part No.	Description	Code
25551	Per 8oz can	R

- Easy to apply
- Non-hardening - non-toxic
- Non-water absorption
- Brush top applicator

O Clip Pliers



Part No.	Description	Code
800-1005	Pliers	K

Loctite Range of Sealant & Threadlock



See Pages 244 - 246