






KIT RICAMBI – SPARE KITS

				PIST. Ø 13		PIST. Ø 15		PIST. Ø 18	
KIT Nr.	KIT 269	KIT 270	KIT 271	KIT 272	KIT 273	KIT 273	KIT 276	KIT 274	KIT 277
Posizioni include Positions included	2 – 3 – 4 5 – 6 – 13 14 – 15 – 16 17 – (7) – (18)	8 – 9 19 – 20	38	22 – 23 24 – 26 28	22 – 25 24 – 25 26 – 28 29	22 – 23 24 – 26 28	22 – 23 24 – 25 26 – 28 29	22 – 23 24 – 26 28	22 – 23 24 – 25 26 – 28 29
Nr. Pcs.	3 + 3	3 + 3	3	3	1	3	1	3	1

POS	COD.	DESCRIZIONE – DESCRIPTION – KIT	NR
19	90.3593.00	OR Ø 15.60x1.78 NBR 70SH 2062	270 3
20	98.2137.00	Tappo M18x1.5x10	270 3
21	99.3175.00	Vite M8x60 UNI 5931	8
22	44.1002.51	Anello di testa Ø 13	272-275 3
	63.1010.51	Anello di testa Ø 15 HP	273-276 3
	63.1011.51	Anello di testa Ø 18 HP	274-277 3
23	90.2602.00	An. ten. alt. Ø13x21x4 HP	272-275 3
	90.2611.00	An. ten. alt. Ø15x24x5.4/3.4 HP	273-276 3
	90.2653.50	An. ten. alt. Ø18x28x6/3.7 HP	274-277 3
24	90.5076.50	Anello antiest. Ø 13x21x3	272-275 3
	90.5089.90	Anello antiest. Ø 15x24x2	273-276 3
	90.5111.50	Anello antiest. Ø 18x28x2	274-277 3
25	58.6056.01	Gr. supp. guarn./boccola Ø 13	275 3
	58.6057.01	Gr. supp. guarn./boccola Ø 15	276 3
	58.6058.01	Gr. supp. guarn./boccola Ø 18	277 3
26	90.3606.00	OR Ø 26.7x1.78 NBR 70SH 2106 272-273-274-275-276-277	3
28	90.2601.00	Anello ten. alt. Ø 13x20x5 LP	272-275 3
	90.2608.00	Anello ten. alt. Ø 15x22x5 LP	273-276 3
	90.2650.00	Anello ten. alt. Ø 18x24x5 LP	274-277 3
29	58.2106.70	Anello per tenuta Ø 13	275 3
	58.2107.70	Anello per tenuta Ø 15	276 3
	58.2108.70	Anello per tenuta Ø 18	277 3
30	98.2100.00	Tappo G 3/8"x13	1
31	96.7380.00	Rosetta Ø 17.5x23x1.5	1
32	98.2176.00	Tappo G 1/2"x10	1
33	96.7514.00	Rosetta Ø 21.5x27x1.5	1
34	96.6980.00	Rosetta Ø 7.5x18x0.5	3
35	58.2105.82	Guarnizione spugna Ø 3x94	1
36	58.0100.22	Carter pompa	1
37	58.2104.51	Protezione	1
38	90.1565.50	Anello rad. Ø 15x24x5/7	271 3
39	58.0500.66	Guida pistone	3

POS	COD.	DESCRIZIONE – DESCRIPTION – KIT	NR
40	97.7340.00	Spinotto Ø 10x29.5	3
41	58.0300.22	Biella	3
42	58.1500.74	Coperchio laterale	2
43	99.1837.00	Vite M6x14 UNI 5931	12
44	44.2118.01	Distanziale indicatore	1
45	63.0202.65	Albero – E2E2108	1
	63.0205.65	Albero – E2D2010-E2E2808-E2E2111	1
	63.0208.65	Albero – E2D2011-E2E2810-E2E2113	1
	63.0212.65	Albero – E2B1711-E2B2008-E2D2810 E2E2116-E2C1713-E2C2109 E2D2013-E2E2116-E2E2812	1
	63.0216.65	Albero – E2B1713-E2C2111-E2D2016 E2D2812-E2C1715	1
45	63.0218.65	Albero – E2B2010-E2B2014-E2B2808 E2E2815-E2C2112-E2C2016 E2C2809-E2D2813-E2E2815	1
	63.0291.65	Albero – E2B1712-E2D2015-E2D2811 E2C1714-E2E2813	1
46	91.8331.00	Cuscinetto a sfere 6305	2
47	90.4097.00	OR Ø 55.56x3.53 NBR 70SH 159	1
48	90.1641.00	Anello rad. Ø 25x62x10	1
49	91.4892.00	Linguetta 8x7x35	1
50	98.2103.00	Tappo con asta G 3/8"xx1	1
51	90.3925.50	OR Ø 113.97x2.62 NBR 70SH 3450	1
52	58.1600.22	Coperchio posteriore	1
53	98.2041.00	Tappo G 1/4"x9	1
54	90.3585.00	OR Ø 10.82x1.78 NBR 70SH 2043	1
55	98.1966.00	Tappo G 1/8"x8	1
56	99.3037.00	Vite M8x16 UNI 5739	4
57	96.7016.00	Rosetta Ø 8.4 UNI 1751	4
58	50.2000.74	Piedino pompa	2

**E2B2008 – E2B2808 – E2B2010 – E2B1711 – E2B1712
E2B1713 – E2B2014 – E2C2109 – E2C2809 – E2C2111
E2C2112 – E2C1713 – E2C1714 – E2C1715 – E2C2016
E2D2010 – E2D2810 – E2D2011 – E2D2811 – E2D2812
E2D2013 – E2D2813 – E2D2015 – E2D2016 E2E2108
E2E2808 – E2E2810 – E2E2111 E2E2811 – E2E2812
E2E2113 – E2E2813 E2E2114 – E2E2815 – E2E2116**


PISTON Ø 13	PISTON Ø 15	PISTON Ø 18
E2B2808 - E2D2810 E2D2811 - E2D2812 E2D2813 - E2E2808 E2E2810 - E2E2812 E2E2813 - E2E2811 E2E2815	E2B2008 - E2B2010 E2C2109 - E2C2809 E2C2111 - E2C2112 E2B1713 - E2B2014 E2D2013 - E2D2015 E2D2016 - E2E2108 E2E2111 - E2E2113 E2E2114 E2E2116	E2B1711 - E2B1712 E2B1713 - E2B2014 E2C1713 - E2C1714 E2C1715 - E2C2016

POS	COD.	DESCRIZIONE – DESCRIPTION – KIT	NR
1	58.1200.41	Testata pompa Ø 13	1
	58.1201.41	Testata pompa Ø 15	1
	58.1202.41	Testata pompa Ø 18	1
2	36.2025.51	Guida valvola d'aspirazione	269 3
3	94.7376.00	Molla Ø 9.4x14.8	269 3
4	36.2001.76	Valvola sferica	269 3
5	36.2003.66	Sede valvola d'aspirazione	269 3
6	90.3841.00	OR Ø 17.13x2.62 NBR 70SH 3068	269 3
7	36.7115.01	Gruppo valvola d'aspirazione	269 3
8	90.3847.00	OR Ø 20.24x2.62 NBR 90SH 3081	270 3
9	98.2226.00	Tappo M24x1.5x16.7	270 3
10	99.1690.00	Vite M5x55	3
11	96.6905.00	Rosetta Ø 5x11.5x0.4	3
12	58.0400.09	Pistone Ø 13x42	3
	58.0401.09	Pistone Ø 15x42	3
	58.0402.09	Pistone Ø 18x42	3
13	90.3589.00	OR Ø 12.42x1.78 NBR 70SH 2050	269 3
14	36.2113.66	Sede valvola di mandata	269 3
15	36.2112.76	Valvola sferica	269 3
16	94.7333.00	Molla Ø 6.2x10.4	269 3
17	36.2111.51	Guida valvola di mandata	269 3
18	36.7193.01	Gruppo valvola mandata	269 3

RS 99

REDUCTION GEAR FOR PETROL ENGINE

RIDUTTORE PER MOTORE A SCOPPIO



DIS. COD. 10.9509.00

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
1	90.1674.00	Anello radiale Ø 35x62x10	1
3	90.0850.00	Anello di fermo Ø 62 UNI 7437	1
4	90.0695.00	Anello di fermo Ø 35 UNI 7435	1
5	91.8464.00	Cuscinetto a sfere - 6007	1
6	98.2100.00	Tappo G 3/8x13	1
7	90.3833.00	OR Ø 13,95x2,62	1
8	10.0205.55	Pignone Z. 13	1
9	96.7014.00	Rosetta Ø 8,4 Schnorr	8
10	99.2740.00	Vite 5/16"x7/8"x24 UNF	4
11	10.0203.22	Carter riduttore	1
12	97.5968.00	Spia livello olio G 3/4	1
13	90.4141.00	OR Ø 85,32x3,53	1
14	10.0206.55	Corona Z. 30	1
15	99.3017.00	Vite M8x10 UNI 5929	1
16	10.0204.22	Flangia riduttore	1
17	10.0207.84	Guarnizione	1
18	96.6938.00	Rosetta Ø 6,4 Schnorr	4
19	99.1882.00	Vite M6x20 UNI 5739	4
20	98.2103.00	Tappo carico olio G 3/8	1
21	99.3084.00	Vite M8x30 UNI 5931	4