




T5050



TECHNICAL INFORMATION

Flow (L/min)	18
Flow (US Gpm)	4,75
Rotation regime (rpm)	1750
Pressure (MPa)	35
Pressure (bar)	350
Pressure (psi)	5075
Power (hp)	17
Power (kW)	12,5
Overall dimensions L x l x h (mm)	353x235,5x191
Weight (kg)	18,5



Documents

Male shaft (key)

Illustration Male shaft (key)




Illustration Male shaft (key)

No.	Code	Description	Qty	Notes
KIT151	34015101	KIT 151 COMP.SEAL D.16 T5050	1	
KIT150	34015001	KIT 150 INTAKE/DEL.VALVE	1	
KIT110	34011001	KIT 110 INTERM. RING D. 16	1	
KIT109	34010901	KIT 109 PACKING D.16 + RESTOP	1	
KIT108	34010801	KIT 108 HEAD RING D. 16	1	
KIT107	34010701	KIT 107 PISTON BOLT	1	
KIT3	34000301	KIT 3 OIL SEAL D.30X55X7	1	
KIT2	34000201	KIT 2 OIL SEAL D. 22X32X5,5	1	
80	47160622	CRANKCASE COVER	1	
79	47010822	CRANKCASE	1	
78	99428200	SCREW M12X30 UNI 5931 12.9	6	
77	96719500	WASHER 13X18X1,1	6	
76	47210041	VALVE COVER	1	
75	47210170	PLUG D. 28	3	
74	90514600	ANTI-EXTRUSION RING	3	
73	90404100	O-RING 20,22X3,53 (4081)	3	
72	47210366	VALVE SPACER	3	
71	90384300	O-RING 17,86X2,62 (123)	3	
70	90511500	ANTI-EXTRUSION RING	3	
69	36712101	INTAKE/DELIVERY VALVE	6	
68	36202551	VALVE CAGE	6	
67	94737600	SPRING D. 9,4X14,8	6	
66	36203266	SPHERICAL VALVE	6	
65	36200366	VALVE SEAT	6	
64	47210470	SPACER	3	

Illustration Male shaft (key)

No.	Code	Description	Qty	Notes
63	90384100	O-RING 17,12X2,62 (3068)	9	
62	99326100	SCREW M8X100 UNI5931 12.9	8	
60	47121641	MANIFOLD	1	
55	90264200	PACKING D. 16X30	3	
50	96710600	WASHER 10,2	4	
49	99364400	SCREW M 10x18-5931	4	
48	47200074	PUMP FOOT	2	
47	90264300	RESTOP RING D. 16	3	
46	47217270	INTERMEDIATE RING D. 16	3	
45	47100351	HEAD RING D. 16	3	
44	90264400	LOW PRESSURE PACKING 16X30X8.5	3	
43	47081170	PACKING RETAINER D. 16	3	
42	90361600	O-RING 34,65X1,78 (2137)	3	
41	90164800	OIL SEAL 30x55x7	1	
40	97568000	SHIM D.74.5X104X0.3	1	
40	97567800	SHIM D.74,5X104X0,1	1	
39	47151022	OPEN SIDE COVER (47-66)	1	
38	47219666	PISTON BOLT D. 16	3	
37	90357800	O-RING 7,66X1,78 (2031)	3	
36	90503300	ANTI-EXTRUSION RING	3	
35	47040856	PISTON D. 16X49	3	
34	47210270	SPACER D.11X15,5X2,5	3	
32	99309900	SCREW M 8x35 UNI 5931	6	
31	90358500	O-RING 10,82X1,78 (2043)	1	
30	98204250	PLUG G1/4"x12	1	
29	97596800	OIL LEVEL INDICATOR G3/4X15	1	

Illustration Male shaft (key)

No.	Code	Description	Qty	Notes
27	99188400	SCREW M 6x20 UNI 5931	5	
26	47030001	CONNECTING ROD	3	
25	47050666	PISTON GUIDE - S.S.(928-9281)	3	
24	97738000	CONNECTING-ROD PIN D.13X35,5	3	
23	91489200	KEY 8(h9)X7X35 UNI 6604/A	1	
22	90055700	CIRCLIP D.12 UNI 7435	6	
21	47022335	CRANKSHAFT C. 19	1	
20	90392200	O-RING D.133.02X 2,62(3525)	1	
19	98210600	OIL DIP-STICK G3/8X80	1	
17	90912600	BUSHING 22X25X30	3	
16	90162500	OIL SEAL 22x32x5	3	
15	91837500	TAPER BEARING	2	
14	90391300	O-RING 67,95X2,62 (3268)	2	
13	47151122	CLOSED SIDE COVER (47-66)	1	
12	99303900	SCREW M 8x16 UNI 5931	8	