

APS 51

Pompe a membrana ad alta pressione
High pressure diaphragm pumps
Pompes a membrane a haute pression
Bombas con membrana de alta presión
Hochdruck-membranpumpen

APS SERIES




Configurazione a tre membrane. Rubinetto di mandata.
Valvola di sicurezza.

Three membrane type. Discharge Tap.
Safety valve.

Configuration à trois membranes. Robinet de refoulement.
Vanne de sécurité.

Configuración de tres membranas. Grifo de descarga.
Valvula de seguridad.

3-Membranen-Bauweise. Druckseitiger Hahn.
Sicherheitsventil.



Protezione a richiesta
PTO protection on request
Protection pdf sur demande
Proteccion t.d.f. segun demanda
Zapfwellenschutz auf Wunsch

		0 bar - 0 p.s.i.				20 bar - 290 p.s.i.				30 bar - 435 p.s.i.				40 bar - 580 p.s.i.					
Giri/min R.P.M. Tours Revoluciones Umdrehungen		Portata Delivery Débit Caudal Foerderleistung		Potenza Power Puissance Potencia Leistung		Portata Delivery Débit Caudal Foerderleistung		Potenza Power Puissance Potencia Leistung		Portata Delivery Débit Caudal Foerderleistung		Potenza Power Puissance Potencia Leistung		Portata Delivery Débit Caudal Foerderleistung		Potenza Power Puissance Potencia Leistung		Peso Weight Poids Peso Gewicht	
		l/min U.S.g.p.m.		CV kW		l/min U.S.g.p.m.		CV kW		l/min U.S.g.p.m.		CV kW		l/min U.S.g.p.m.		CV kW		Kg	lb
400		39,5	10,4	0,4	0,3	38,6	10,2	2,2	1,6	38,2	10,1	3,1	2,3	36,5	9,6	3,8	2,8	16,4	36,2
450		44,4	11,7	0,5	0,4	43,4	11,5	2,5	1,8	43,0	11,4	3,4	2,5	41,1	10,9	4,2	3,1		
500		49,0	12,9	0,5	0,4	47,7	12,6	2,7	2,0	47,1	12,4	3,8	2,8	46,1	12,2	4,8	3,5		
550		53,9	14,2	0,6	0,4	52,4	13,8	3,0	2,2	51,8	13,7	4,2	3,1	50,7	13,4	5,2	3,8		



APS 51/61/71

Pompe a membrana ad alta pressione
High pressure diaphragm pumps
Pompes a membrane a haute pression
Bombas con membrana de alta presion
Hochdruck-membranpumpen



APS SERIES

VERSIONI STANDARD — STANDARD VERSIONS VERSIONS STANDARD — VERSIONES ESTÁNDAR STANDARD AUSFÜHRUNG



- Albero passante 1" 3/8 M - 1" 3/8 M
- Throughshaft 1" 3/8 M 1" 3/8 M
- Arbre traversant 1" 3/8 M 1" 3/8 M
- Cigüeñal pasante 1" 3/8 M 1" 3/8 M
- Durchgangswelle 1" 3/8 Zapfen 1" 3/8 Zapfen



- Albero non passante 6 fori 1" 3/8 F
- Six holes bare pump shaft
- Arbre non traversant percé 6 trous
- Cigüeñal no pasante seis agujeros 1" 3/8 hembra
- 6-Loch-Welle




- Albero passante 1" 3/8 M - 6 fori 1" 3/8 F
- Throughshaft 1" 3/8 M - Six-Holes 1" 3/8 F
- Arbre traversant 1" 3/8 M - 1" 3/8 F percé 6 trous
- Cigüeñal pasante 1" 3/8 M - 1" 3/8 hembra seis agujeros
- Durchgangswelle 1" 3/8 Zapfen - 1" 3/8 mit Bohrung mit 6 Löchern



VERSIONI DERIVATE DA STANDARD (B) — VERSIONS ADAPTED FROM THE STANDARD (B) — VERSIONS DÉRIVÉES DE VERSION STANDARD (B-C) VERSIONES DERIVADAS DE LA ESTÁNDAR (B-C) VON DER STANDARD AUSFÜHRUNG (B) ABGELEITETE MODELLE



- Flangiata
- Flanged
- Bridée
- Con brida
- Geflanscht




- ★ Le dimensioni variano in base al tipo di applicazione.
- ★ Dimensions vary depending on the type of application.
- ★ Les dimensions varient selon le type d'application.
- ★ Las dimensiones varían en función del tipo de aplicación.
- ★ Die Abmessungen ändern sich in Abhängigkeit von der Art der Anbringung.

VERSIONI DERIVATE DA STANDARD (B-C) — VERSIONS ADAPTED FROM THE STANDARD (B-C) — VERSIONS DÉRIVÉES DE VERSION STANDARD (B-C) VERSIONES DERIVADAS DE LA ESTÁNDAR (B-C) VON DER STANDARD AUSFÜHRUNG (B-C) ABGELEITETE MODELLE



- Riduttore di giri 1:4,33
- Gearbox reduction 1:4,33
- Réducteur 1:4,33
- Reductor para motor 1:4,33
- Untersetzungsgetriebe 1:4,33




- Puleggia
- Pulley
- Poulie
- Polea
- Keilriemenscheibe



- Cardano 1" 3/8
- 1" 3/8 male PTO
- Cardan mâle 1" 3/8
- Cigüeñal estriada 1" 3/8
- Für Kardan 1" 3/8



- Attacco rapido 1" 3/8
- Quick coupling 1" 3/8 spl. (female 1" 3/8 PTO)
- Accouplement 1" 3/8 femelle
- Enganche rápido 1" 3/8
- Schnellkupplung 1" 3/8



APS 51/61/71

Pompe a membrana ad alta pressione
High pressure diaphragm pumps
Pompes a membrane a haute pression
Bombas con membrana de alta presión
Hochdruck-membranpumpen

VERSIONI DERIVATE DA STANDARD (C) — VERSIONS ADAPTED FROM THE
STANDARD (C) — VERSIONS DÉRIVÉES DE VERSION STANDARD (C)
VERSIONES DERIVADAS DE LA ESTÁNDAR (C)
VON DER STANDARDAUSFÜHRUNG (C) ABGELEITETE MODELLE

- Flangiata a moltiplicatore
- Coupled to overgearbox
- Flasquée à multiplicateur
- Para cople a multiplicador
- Angeflanscht an Untersetzungsgetriebe



VERSIONI DERIVATE DA STANDARD (B) — VERSIONS ADAPTED FROM THE
STANDARD (B) — VERSIONS DÉRIVÉES DE VERSION STANDARD (B)
VERSIONES DERIVADAS DE LA ESTÁNDAR (B)
VON DER STANDARDAUSFÜHRUNG (B) ABGELEITETE MODELLE

- Flangiata a motore idraulico
- Coupled to hydraulic motor
- Flasquée à moteur hydraulique
- Para cople a motor hidráulico
- Angeflanscht an Hydraulischen Motor

