





Pistola con lancia a getto regolabile

Gun lances with variable spray

Pistolet avec lances réglable



Getto dritto  
*Straight jet*



Getto A Cono  
*Cone Jet*


| Part No.   |  Rated Pressure<br>bar |  Permissible Pressure<br>bar |  Rated Flow<br>l/min |  IN | OUTLET  | L<br>mm | kg  |
|------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|---------|---------|-----|
| 4022409000 | 220                                                                                                     | 250                                                                                                           | 45                                                                                                     | G 3/8 F                                                                                | M15x1.F | 749     | 1,6 |




Ordinare ugello separatamente  
*Nozzle to be ordered separately*  
*Commander buse séparément*




# CHART NOZZLE SELECTION



Getto A Cono  
*Cone Jet*



Getto dritto  
*Straight jet*





# NOZZLES

Ugelli di ricambio per lance

Spare nozzles for spray guns

Buses de rechange pour lances



- a cono in ceramica
- ceramic hollow cone tip
- en céramique, jet conique



| Part No. | Ø<br>mm |  |      | 15 bar |          | 25 bar |          | 35 bar |          | 40 bar |          | 45 bar |          | 50 bar |          | Pack |
|----------|---------|--|------|--------|----------|--------|----------|--------|----------|--------|----------|--------|----------|--------|----------|------|
|          |         |  |      | CONE   | STRAIGHT | CONE   | STRAIGHT | CONE   | STRAIGHT | CONE   | STRAIGHT | CONE   | STRAIGHT | CONE   | STRAIGHT |      |
| 8278000  | 1,0     |  | 1/1' | 2,45   | 2,5      | 3,0    | 3,1      | 3,4    | 3,5      | 3,55   | 3,65     | 3,75   | 3,85     | 40,    | 4,1      | 25   |
| 8278001  | 1,2     |  | 1/1' | 3,6    | 6,8      | 4,25   | 4,6      | 4,7    | 5,4      | 5,2    | 5,9      | 5,35   | 6,1      | 5,6    | 6,3      |      |
| 8278002  | 1,5     |  | 1/1' | 4,6    | 5,1      | 5,7    | 6,5      | 6,6    | 7,4      | 6,9    | 7,8      | 7,3    | 8,2      | 7,7    | 8,6      |      |
| 8278003  | 1,8     |  | 1/1' | 5,9    | 7,3      | 7,2    | 9,3      | 8,5    | 10,8     | 9,2    | 11,7     | 9,7    | 12,2     | 10,5   | 12,7     |      |
| 8278004  | 2,0     |  | 1/1' | 6,9    | 8,8      | 8,1    | 11,7     | 10,2   | 13,4     | 10,9   | 14,3     | 11,7   | 15,2     | 12,5   | 15,8     |      |
| 8278005  | 2,3     |  | 1/1' | 8,1    | 10,8     | 10,2   | 14,1     | 12,9   | 16,8     | 13,7   | 17,9     | 14,3   | 18,8     | 14,9   | 19,7     |      |
| 8278006  | 2,5     |  | 1/1' | 9,2    | 13,0     | 11,4   | 16,4     | 14,0   | 19,1     | 14,5   | 21,1     | 15,4   | 22,2     | 16,4   | 23,0     |      |
| 8278007  | 3,0     |  | 1/1' | 11,5   | 18,4     | 14,4   | 24,1     | 18,0   | 28,2     | 18,8   | 30,1     | 19,6   | 31,5     | 20,9   | 33,0     |      |

## SUITABLE FOR

